

**Application Industry:** Cement Mortar Water Treatment Textile Industry

Product Name: Antifoam RK-02P

RK-02P is high efficient and universal powder antifoam used in cement mortar, textile auxiliaries and water treatment etc. Chemical is stable, not toxic, not corrosive, and has good acid&alkali resistance.

## **Product property:**

Break foam quickly and good foam control performance

Dispersion in water

Good Acid and alkali resistance

# Main physical and chemical properties:

Item	Range
Appearance	Milky white powder
pH value	4.0~8.0

## **Application Process:**

RK-02P could be added directly. The volume of addition is  $0.1\% \sim 0.6\%$ . According to your specific condition, optimum volume of addition could be adjusted. Do not dilute.

## **Key Applications**

Textile auxiliaries

Water treatment

Cement mortar

#### **LIMITATIONS**

This product is neither tested nor represented as suitable for medical or pharmaceutical uses



# Information of manufacturers and products

Product name	Antifoam
Model	RK-02P
Manufacturer	Xiamen Rickman Chemical Technology CO., Ltd. Add: No1267 Qianpu South Road, Siming District, Xiamen City, Fujian Province, China
Tel/Fax	15359255189

#### **Product content**

Pure or mixture	Mixture
English name	Polyether modified polysiloxane and sodium salt

# Dangerous marks

Human-body health effect	Skin	Slightly skin allergic for variety of
	contact	people
	Eye contact	Eye allergic
	Swallow	No data
Environment effect	No data	
Physical/chemical damage		
Special damage		

## Packaging & Storage

Package	25kg bag or 1000kg/ bag
Storage Condition	Room Temperature Storage (5°C-40°C), Avoid direct sun light, shelf
	life is 12 months.

## LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of Rickman products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end application.